

Quick Facts...

Consider available space, protection, growth rate and soil adaptability when selecting small trees.

If space allows, several kinds of small trees provide varied foliage, flowers, bark, fruit and fall color for year round interest.

Make sure the water requirements of the tree match the conditions at your site.

Look for new varieties of small trees that are continually introduced.





© Colorado State University Extension. 9/92. Reviewed 2/04. www.ext.colostate.edu

TREES & SHRUBS

Small Deciduous Trees

no. 7.418

by J.E. Klett and C. Wilson 1

Selection and Planting

Examine the proposed site before planting trees. Allow adequate width to keep walkways, entryways, driveways or buildings clear of overhanging branches. Many small trees, although short, can spread as much laterally as vertically.

Soil. Prepare soil before planting. Loosen it several feet in all directions from the spot you wish to plant. If the soil is heavy clay and hard to work, add aged manure or compost, and work it into the soil at least 12 inches deep. A wider selection of trees is available for planting on long-cultivated soils than new sites.

Color and texture. For variety, plant several kinds of trees if space allows. Through careful selection, you can have flowers, colorful and interesting bark and fruits, varied foliage texture, and fall colors for year round interest. Coordinate with other plants and elements of your overall landscape design.

Water. Match the plant with the moisture conditions of the site. Low-moisture trees planted in an irrigated lawn grow too fast. On the other hand, trees that require moderate to heavy moisture do poorly in areas where little or no supplemental water can be applied.

Protection. Microclimate sites protected by buildings, fences and larger trees offer greater opportunities for tree selection than open, exposed locations.

Recommended Trees

Table 1 includes small trees that are useful for privacy screening as well as landscape interest. Most can be used beneath power lines with little or no need for pruning to maintain clearance. For information on larger trees, see fact sheet 7.419, Large Deciduous Trees. The key to symbols used in the table is given below.

Growth rate:

f = fast

m = moderate

s = slow

Soil moisture:

L = low-water needs; can withstand drought.

M = moderate water needs; normal lawn watering.

H = heavy water needs; more than normal lawn watering.




Table 1: Small deciduous trees for privacy and color.

	Height	Spread		Growth	Soil		
Plant Name	(ft)	(ft)	Shape	Rate	Moisture	Remarks	
Acer campestre	25	25	Rounded	m	М	Dark green leaves, yellow fall color, tolerant of	
Hedge maple						alkaline soils.	
Acer ginnala	20	15	Broad,	m	М	Availiable as single-stemmed tree or multi-	
Amur maple	20	.5	spreading	•••	•••	stemmed shrub; scarlet fall color; avoid alkaline	
Amui mapie			spreading		soils.	sternined strub, scartet fair color, avoid arkanne	
	4.5	4.5				Note that the first	
Acer glabrum	15	15	Upright,	m	М	Native, small tree or large shrub, gray bark,	
Rocky Mountain maple			oval			yellow fall color, bright red winter buds.	
Acer grandidentatum	25	15	Broad,	m	L	Survives in dry sites once established; orange-	
Wasatch maple			spreading			-red fall color, more difficult to establish.	
Acer tataricum	20	20	Irregular,	m	L	Single or multi-stemmed tree, pink to red	
Tatarian maple			rounded			winged seeds in summer, yellow fall color,	
	tolerant of alkaline soils, more adaptable than						
				Amur m		, ,	
Alnus tenuifolia	15	12	Upright,	m	Н	Use in moist sites; cone-like fruit clusters	
Thinleaf alder			oval	•••		persist in winter, tend to form clumps.	
Amelanchier canadensis	25	20	Upright, rounded	m	M	Showy, white flowers in spring; red fruits attract	
Shadblow serviceberry	23	20	oprigrit, rounaca		141	birds, red-orange fall color.	
•	20	15	Danie da d			_	
Amelanchier x grandiflora	20	15	Rounded	m	M	White flowers, red to purple fruit, orange to red	
Autumn Brillance'						fall color, single-stemmed tree or multi-	
Autumn Brilliance						stemmed shrub.	
serviceberry							
Amelanchier laevis	20	15	Upright, irregular	m	M	Multi-stemmed tree, early spring white flowers,	
Allegheny serviceberry						late purple fruits attract birds, tolerant of	
				alkalin	e soils, vellow t	o orange fall color.	
Betula occidentalis	20	15	Upright, rounded	m	Н	Use in moist soils; yellow fall color, tends to	
Rocky Mountain or water			- 3 4			form clumps, cherry-brown bark.	
birch							
Carpinus caroliniana	25	25	Rounded, spreading	s-m	М	Low branched smooth gray bark, "muscled"	
•	23	23	nounded, spreading	3-111	141	<u> </u>	
American hornbeam Cercis canadensis	25	25	Unright spreading	-	Λ.4	branches, yellow-orange fall color.	
Eastern redbud	25	25	Upright, spreading	m	M	Early pink flowers along twig before foliage;	
	20	20	Danie da d			plant in part shade, heart shaped leaves.	
Cornus alternifolia	20	20	Rounded	m	M	Horizontal branching, creamy-white flowers	
Pagoda dogwood						followed by blue-black fruit, red to purple fall	
					color.		
Cornus mas	20	15	Rounded	m	M	Early yellow flowers before foliage, bright red	
Cornelian cherry dogwood						fruit in summer.	
Cornus racemosa	15	15	Rounded	m	M	Available as a tree, creamy white flowers,	
Gray dogwood						white fruit with persistent red fruit stalks, purple	
a.a, aagaa	fall color.						
Crataegus ambigua	20	15	Upright, spreading	m	L	Finely cut, glossy leaves; white flowers;	
Russian hawthorn			opg, sp.caag		_	persistent, red fruit.	
Crataegus crus-galli	20	20	Broad, rounded	m	L	Showy, white flowers; red fruit; glossy foliage;	
Cockspur hawthorn			,			thorny; attracts birds.	
var. inermis	15	15	Broad, rounded	m	L	Thornless, other characteristics same as	
Thornless cockspur	.5	.5	broad, rounded	•••	-	species.	
•						зресіез.	
hawthorn	25	20	Proad alobo	-	Λ.4	Chause white flawers in springered fruit in late	
Crataegus mollis	25	20	Broad globe	m	М	Showy, white flowers in spring; red fruit in late	
Downy hawthorn	20	1.5	Hawimbe amanadina			summer; bronze fall color, stout thorns.	
Erataegus phaenopyrum Washington hawthorn	20	15	Upright, spreading	m	М	White flowers; showy, orange-red fruit; red-	
Crataegus x mordenensis	15	15	Rounded	m	M	orange fall color; narrow thorns.	
'Toba'	15	15	Rounded	m	IVI	Fragrant, double, white flowers, age to pink; red fruit, stout thorns.	
Toba hawthorn						rea mait, stout thoms.	
	20	18	Doundad		М	Havizantal to pandulous branching vallou to	
uonymus bungeanus	20	18	Rounded	m	IVI	Horizontal to pendulous branching, yellow to	
Vinterberry						red fall color, pink fruit capsules open to reveal	
					orange seeds.		
Euonymus europaeus	15	15	Rounded	m	M	Pink to red fruit capsules open to expose	
European euonymus						orange seeds. Red to purple fall color.	
Koelreuteria paniculata	25	20	Upright, rounded	m	L	Best grown on dry sites to avoid fast, brittle	
Goldenrain tree						branch growth; large penicles of yellow flowers	
						in summer; Chinese lantern-like pods.	
Malus spp.	Varies	Varies	Varies	m-f	M-L	Many varieties available.	
Crabapple							
Crabapple 'Brandywine'®	20	20	Rounded	m-f	M-L	Double pink flowers, large green fruit. More	

Table 1: Small deciduous trees for privacy and color.

Plant Name	Height (ft)	Spread (ft)	Shape	Growth Rate	Soil Moisture	Remarks
'Centurion'	20	10	Upright	m-f	M-L	Pink to red flowers; red fruit; red to bronze
foliage. 'Coralburst®'	1.5	1.5	Rounded	f	M-L	Dad buda anan ta aansi daybla nink flayyaya
Coralburst	15	15	Rounded	m-f		Red buds open to semi- double pink flowers, stant to fireblight.
'David'	15	15	Rounded	m-f	M-L	Pink buds open to white flowers, yellow-red
'Dolgo'	13	13	Nounced			Resistant to fireblight.
	30	25	Spreading	m-f	M-L	White flowers; crimson fruit, yellow bark,
Doigo	30	23	Spreading	111-1	1V1-L	resistant to fireblight.
'Indian Summer'	15	15	Rounded	m-f	M-L	Rose-red flowers, red fruits. Resistant to
					fireblight.	
'Radiant'	20	20	Rounded	m-f	M-L	Single, pink-red flowers; red-purple fruit.
sargentii 'Tina'	8	10	Spreading	m-f	M-L	Dwarf, red buds open to white flowers, red fruit.
'Spring Snow'	20	15	Upright, rounded	m-f	M-L	White flowers, usually fruitless; dense foliage;
					yellow bark.	
Populus tremuloides	30	15	Upright, columnar	f	М	Best in moist, well-drained soil; pest prone and
Quaking aspen				and in	hoavy soils: ro	shorter lived at lower Front Range elevations of suckers form clumps.
Prunus cerasifera 'Newport'	20	20	Upright, rounded	m-f	M	Pinkish-white flowers followed by maroon-red
Newport plum	20	20	oprignt, rounded		141	foliage; avoid wet sites.
Prunus maackii	25	25	Upright, rounded	m	М	Striking, shiny, orange-red bark; white flowers;
Amur chokecherry						black fruit, avoid heavy soils.
Prunus nigra 'Princess Kay'	15	10	Upright, vase	m	M	Double white flowers before leaves, orange-
Princess Kay plum						red fall color, dark brown-black bark.
Prunus padus var. commutata	30	15	Rounded	m	M	Fragrant chains of white flowers in spring;
Mayday tree						purple-black fruit.
Prunus virginiana 'Shubert'	25	20	Rounded	f	М	New green growth turns purple-red, white;
Shubert or Canadian						flowers, purple fruit, suckers like aspen.
red chokecherry Ptelea trifoliata	15	15	Rounded		M-L	Native multi-stemmed tree persistent wafer
	15	15	Rounded	m	IVI-L	Native multi-stemmed tree, persistent wafer-
Nafer ash, Hoptree Pyrus calleryana	Varies	Varies	Varies	m	М	like fruit, golden-yellow fall color.
Callery pear	varies	varies	varies		IVI	
'Aristocrat'	25	20	Pyramidal, oval	m	М	Wave, cupped leaves, white flowers, red to
711131311111			. yrannaa, ova		oronze fall color	• •
'Autum Blaze'	30	15	Pyramidal, rounded	m	M	Good cold hardiness, white flowers, crimson
	30	13	r yrainidai, rodnaed	****	red fall color.	Good cold Hardiness, write howers, crimson
Chanticleer®'	25	15	Pyramidal, upright	m	M	White flowers, red-purple fall color.
('Cleveland Select')	23	15	r yrainiddi, aprignt		141	write nowers, rea purple fair color.
'Redspire'	25	10	Pyramidal, upright	m	М	Large white flower clusters, crimson-purple fall
пеаэрпе	23	10	i yiaiilidai, upiigiit	""	color.	Large write flower clusters, crimson purple fair
Pyrus ussuriensis	20	18	Rounded	m	M-L	Yellowish-brown bark, many white flowers,
Prairie Gem'						thick glossy green leaves, golden-yellow fall
Prairie Gem pear						color.
Quercus gambelii	15	10	Upright, clump	S	L	Forms groves by creeping root stocks; often
Gambel oak			5 1.1.3.1.4, -1.1.1.1			shrubby; needs well-drained soils; golden-
)	ellow fall color	
Robinia pseudoacacia	30	25	Upright, rounded	f	M-L	Bronze-red new foliage turns blue-green, showy
Purple Robe'						dark rose-pink flowers, can have small thorns,
Purple Robe locust						subject to locust borer and branch breakage.
Sorbus aucuparia	20	15	Oval	m	M	Smooth gray-brown bark, malodorous white
European mountain ash						flowers, persistent orange-red fruit, yellow to
·				rec	d-purple fall col	
'Cardinal Royal'	25	15	Narrow oval	m	М	Straight trunk, dark green leaves turn russet-
						est in well drained soils.
Syringa reticulata	20	20	Rounded	m	M	Creamy panicles of fragrant flowers in late
Japanese tree lilac						spring, red-brown shredding bark.
'Ivory Silk'	15	15	Compact, oval	m	М	Creamy white flowers, cherry-like bark.
,		1.5	compact, ovai		***	mee novers, energy me bank

¹J.E. Klett, Colorado State University Extension specialist and professor, horticulture and landscape architecture; and C. Wilson, Extension horticulture agent, Denver County.

Colorado State University, U.S. Department of Agriculture and Colorado counties cooperating. Extension programs are available to all without discrimination. No endorsement of products mentioned is intended nor is criticism implied of products not mentioned.



Want more gardening info? We've got it — in spades!

Whether you're a newcomer to Colorado gardening or an old hand at it, you're sure to find just what you need at The Extension Resource Center.

Our publications deal with questions specific to Colorado gardening: plants for mountain communities, xeriscaping, fruit and vegetable varieties, insects and weeds, soil and fertilizer.

From fruits and vegetables to nourish your body to flowers to nourish your soul, we can help. Ask us for a catalog — it's free!

Address: The University Resource Center

115 General Services Building Colorado State University Fort Collins, CO 80523-4061

Phone: (970) 491-6198

Toll-free: (877) 692-9358 Fax: (970) 491-2961

E-mail: resourcecenter@ucm.colostate.edu

Web: www.cerc.colostate.edu

